

09/579,035

Present Claims

1-373 (Canceled)

374. (Currently Amended) An Internet-based method of securing a computer communications network supporting a network computing device, said Internet-based method comprising the steps of:

(a) downloading encrypted content over a global network to a memory storage device within said network computing device;

(ab) embodying a global synchronization chip into said network computing device,

(bc) programming the global synchronization chip in said network computing device with a set of predetermined time and space (TS) coordinates so as to enable said network computing device to decrypt said encrypted content ~~access said communications network or subnetwork thereof (or WWW server connected thereto)~~ only when said network computing device is temporally and spatially present at said TS coordinates, ~~said network computing device generating a time stamp providing an absolute time reference, said communications network having a memory storage device and an owner registration server resident in said memory storage device; and~~

(ed) disposing said network computing device at said predetermined TS coordinates so as to automatically enable said network computing device to decrypt said encrypted content ~~access said communications network or subnetwork thereof (or WWW server connected thereto)~~ and wherein said content is visually or sonically displayed by the device.

375. (Currently Amended) The Internet-based method of claim 374, wherein step (ed) comprises said network computing device transmitting a digitally-signed data package to a TS-stamping tracking server for receiving said digitally-signed data package and processing the same collect data indicative that said network computing device is present at said predetermined TS coordinates and automatically

09/579,035

transmitting a digitally-signed package back to said enabled network computing device to access said communications network or subnetwork thereof (or WWW server connected thereto).

376. (Currently Amended) An Internet-based method of securing a computer communications network supporting a network computing device, said Internet-based method comprising the steps of:

(a) downloading encrypted content over a global network to a memory storage device within said network computing device;

(ab) embodying a global synchronization chip into said network computing device so as to provide a GSU-enabled network computing device, and

(bc) programming the global synchronization chip in said network computing device with a set of predetermined time and space (TS) coordinates so as to decrypt said encrypted content and fully enable said network computing device to access said communications network or subnetwork thereof (or WWW server connected thereto) when said network computing device is temporally and spatially present at said TS coordinates, and partially enable said network computing device to partially access said communications network or subnetwork thereof (or WWW server connected thereto) when said network computing device is not temporally and spatially present at said TS coordinates, said GSU-enabled network computing device generating a time stamp providing an absolute time reference, said communications network having a memory storage device and an owner registration server resident in said memory storage device; and

(ed) disposing said network computing device outside of said predetermined TS coordinates so as to partially enable said network computing device to partially access said communications network or subnetwork thereof (or WWW server connected thereto)

(e) disposing said network computing device at said predetermined TS coordinates so as to automatically enable said network computing device to decrypt said encrypted content and wherein said content is visually or sonically displayed by the device.

09/579,035

(df) tracking the exact location of said network computing device with a TS-stamping tracking server; and

(eg) notifying authorities so that said authorities have information needed to apprehend the person using the same without authorization.

377. (Currently Amended) An Internet-based method of securing a computer communications network having a plurality of network computing devices, said method comprising the steps of:

(a) downloading encrypted content over a global network to a memory storage device within at least one of said network computing devices;

(ab) embodying a global synchronization device into each network computing device so that its access to decrypt said encrypted content and access to a particular communications/computer network (i.e. subnetwork) or WWW site can be securely enabled by a TS-stamping tracking server only upon the generation of a unique time-space stamp by the GSU-chip corresponding to a predetermined location over which the network computing device is enabled, said time-space stamp providing an absolute time reference, said TS-stamping tracking server having a memory storage device and an owner registration server resident in said memory storage device; and

(c) disposing said network computing device at said predetermined TS coordinates so as to automatically enable said network computing device to decrypt said encrypted content and wherein said content is visually or sonically displayed by the device

(bd) disposing said network computing device at said predetermined location so that said network computing device is enabled by said TS-Stamping Based Tracking Server to access a prespecified communication subnetwork or WWW server.

378. (Currently Amended) An Internet-based method of securing a computers communications network by embodying a global synchronization chip,

09/579,035

wherein a network computing device which is used to access a particular communications (sub)network or WWW site

is used to download encrypted content over a global network to a memory device within said network computing device; and

is partially enabled by a TS-stamping tracking server when the network computing device is present outside of a predetermined location, or a predetermined time interval,

wherein the TS-stamping tracking server tracks the exact location of said network computing device and automatically enables said network computing device to decrypt said encrypted content and wherein said content is visually or sonically displayed by the device when said network computing device is present within a predetermined location, or a predetermined time interval, wherein said TS-stamping tracking server has a memory storage device and an owner registration server resident in said memory storage device, and

~~wherein the network computing device generates a time stamp providing an absolute time reference;~~

~~further wherein authorities are notified to apprehend the person using the same without~~ authorization.

379. (Currently Amended) An Internet-based system for securing a computer communications network supporting a network computing device, said Internet-based method comprising

a globally synchronized network computing device, ~~said globally synchronized network computing device generating a time stamp providing an absolute time reference;~~ said globally synchronized network computing device including

a global synchronization chip capable of generating time and space (TS) coordinates indicative of the time and space coordinates of said global synchronization chip in relation to a globally referenced coordinate system, and

a network interface for providing an interface between said globally synchronized network

09/579,035

computing device and a computer communications network or subnetwork thereof (or WWW server connected thereto); and

wherein said global synchronization chip is programmed with a set of predetermined time and space (TS) coordinates so as to enable said globally synchronized network computing device

to access prestored encrypted content that was downloaded over a global network within a memory device of said network computing device; and

to access said computer communications network or subnetwork thereof (or WWW server connected thereto) only when said globally synchronized network computing device is temporally and spatially present at said TS coordinates, ~~and wherein said communications network has a memory storage device and an owner registration server resident in said memory storage device.~~